FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF:
AL, AZ, AR, CA, CO, CT, DE, FL, GA, IL, IN, IA, KS, KY, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NJ, NM, NC, ND, OH, OK, OR, PA, PR, RI, SC, SD, TN, UT, VT, VA, WA, WV, WI and WY

Premise® Pro Insecticide
EPA Reg. No. 101563-115

For Control of Occasional/Fall Invader Species for Outdoor/Perimeter Pests

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE
It is a violation of federal law to use this product in a manner inconsistent with its label.

It is a violation of Federal law to use this product inconsistent with its labeling. The user must refer to the federally approved label for Premise Pro Insecticide and read and follow all directions for use, restrictions, and precautions.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops/plants or weeds. Do not apply this product or allow it to drift to blooming crops/plants or weeds if bees are foraging the treatment area.

Do not apply this product, by any application method, to linden, basswood, or other Tilia species.

APPLICATION FOR OUTDOOR/PERIMETER PESTS
Occasional/fall invaders including multi-colored Asian lady beetle, elm leaf beetle, boxelder bug, cluster flies, brown marmorated stink bug and globular stink bug (kudzu bug).

Begin treatments in late summer or fall, just before these pests begin migrating to winter shelter. Apply low pressure (do not exceed 50 psi at nozzle tip) mist or spray to exterior surfaces of buildings, porches, patios, garages, fences, and other surfaces where these pests are congregated or may enter the structure. Spray siding, eaves, around windows and doors, and window screens. Applications may be made as a general surface, spot or crack and crevice treatment.
Apply directly to insects that have congregated around doors, windows and similar areas where they may enter the structure. To help reduce infestations, treat cracks and crevices, attics and other winter hiding places located inside buildings.

Environmental Science US, LLC.
5000 CentreGreen Way, Suite 400
Cary, NC 27513

High volume applications using power sprayers: You must adjust the rate of product dilution to ensure that 0.125 fl. oz. (8 ml) of this product is applied per 1,000 square feet of treated surface. For example, mixing 2.1 fluid ounces of this product in a 50-gallon tank, while using an application volume of 3.0 gallons per 1,000 square feet, will apply 0.125 fluid ounces of this product per 1,000 square feet. The table below gives examples of end use dilutions for typical power spraying application volumes.

DILUTION RATE CHART

Amount of Product fluid ounces (milliliter)	Application Volume gallons water	Concentration (% AI) in spray solution
0.125 (4 ml)	1	0.05%
	2	0.025%
	3	0.017%
	4	0.013%
	5	0.01%

When to Apply
Begin applications when pests are noticed. Treatments may be applied at monthly intervals.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-424-9300.

For PRODUCT USE Information Call 1-800-331-2867).

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-800-331-2867

Envu®, the Envu logo, and Premise® Pro are registered trademarks of Environmental Science US, LLC.

Environmental Science US, LLC.
5000 CentreGreen Way, Suite 400
Cary, NC 27513