according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

SECTION 1. IDENTIFICATION

Product name : Signature Xtra Stressgard

Product code : Article/SKU: 84103381 UVP: 81691088 Specification:

102000029598 EPA Registration No: 101563-162

Manufacturer or supplier's details

Company name of supplier : Environmental Science U.S. LLC.

Address : 5000 Centregreen Way, Suite 400

Cary NC 27513

Telephone : 1-800-331-2867

Emergency telephone : +1 703-741-5970

E-mail address : uscontact@envu.com

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Plant protection agent

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2B

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H320 Causes eye irritation.

H360D May damage the unborn child.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention. P337 + P313 If eye irritation persists: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Water dispersible granules (WG)

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fosetyl-aluminium	39148-24-8	>= 50 - < 70
2-Propanol, reaction products with naphthalene, sulfonated, sodium salts	1322-93-6	>= 5 - < 10
C.I. Pigment Green 7	1328-53-6	>= 5 - < 10
Formic acid	64-18-6	>= 1 - < 2
N-Methyl-2-pyrrolidone	872-50-4	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

The following symptoms may occur:

The product causes irritation of eyes, skin and mucous mem-

branes.

Causes eye irritation.

May damage the unborn child.

This product is not a cholinesterase inhibitor.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : There is no specific antidote available.

Treat symptomatically.

Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, admi-

nister activated charcoal and sodium sulphate.

Appropriate supportive and symptomatic treatment as indica-

ted by the patient's condition is recommended.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Oxides of phosphorus

Metal oxides Sulfur oxides

Chlorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/14/2023

 1.1
 03/06/2024
 11310877-00002
 Date of first issue: 12/14/2023

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

Recommended storage tem- :

perature

32 - 95 °F / 0 - 35 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Green 7	1328-53-6	TWA	1 mg/m³ (Copper)	NIOSH REL
Formic acid	64-18-6	TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH
		TWA	5 ppm 9 mg/m³	NIOSH REL
		TWA	5 ppm 9 mg/m³	OSHA Z-1
N-Methyl-2-pyrrolidone	872-50-4	TWA	15 ppm 60 mg/m³	US WEEL
		STEL	30 ppm 120 mg/m³	US WEEL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra-tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn.

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm
Protective index : Class 6

Remarks : Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

cuts, abrasion, and the contact time.

Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules

Color : green

Odor : acidic, slight

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Odor Threshold : No data available

pH : 3.1 - 5.0 (73 °F / 23 °C)

Concentration: 10 %

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Self-ignition : Method: Regulation (EC) No. 440/2008, Annex, A.16

The substance or mixture is not classified as self heating.

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Bulk density : 705 kg/m³

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Method: Regulation (EC) No. 440/2008, Annex, A.14

Oxidizing properties : The substance or mixture is not classified as oxidizing.

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Dust explosion class : No data available

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Strong oxidizing agents

Strong acids and strong bases

Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.22 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Components:

Fosetyl-aluminium:

Acute oral toxicity : LD50 (Rabbit): 2,680 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.11 mg/l

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Acute oral toxicity : LD50 (Rat): > 453 - 1,368 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 1.09 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male): > 2,000 mg/kg

Remarks: Based on data from similar materials

C.I. Pigment Green 7:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Formic acid:

Acute oral toxicity : LD50 (Rat): 730 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7.85 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

N-Methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No skin irritation

Components:

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Species : Rabbit

Result : No skin irritation

C.I. Pigment Green 7:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Formic acid:

Result : Corrosive after 3 minutes or less of exposure Remarks : Based on national or regional regulation.

N-Methyl-2-pyrrolidone:

Result : Skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

Components:

Fosetyl-aluminium:

Result : Irreversible effects on the eye

Remarks : Based on national or regional regulation.

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Species : Rabbit

Result : Irreversible effects on the eye

C.I. Pigment Green 7:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Formic acid:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

N-Methyl-2-pyrrolidone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Components:

C.I. Pigment Green 7:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Formic acid:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

N-Methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

C.I. Pigment Green 7:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mouse spot test (in vivo)

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

Formic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Sex-linked recessive lethal test in Drosophila mel-

anogaster (in vivo)

Application Route: Ingestion Method: OECD Test Guideline 477

Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Hamster

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Fosetyl-aluminium:

Species: DogApplication Route: IngestionExposure time: 2 YearsResult: negative

Formic acid:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Remarks : Based on data from similar materials

N-Methyl-2-pyrrolidone:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Species : Rat

Application Route : inhalation (vapor)

Exposure time : 2 Years Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child.

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Components:

Fosetyl-aluminium:

Effects on fertility : Test Type: Four-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Formic acid:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: positive

Test Type: Fertility/early embryonic development

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Species: Rat

Application Route: inhalation (vapor)

Result: positive

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Assessment : May cause respiratory irritation.

N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Assessment : No significant health effects observed in animals at concentra-

tions of 0.2 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Fosetyl-aluminium:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Species : Rat

NOAEL : 1,050 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Species : Rat

NOAEL : 100 mg/kg LOAEL : 300 mg/kg

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Application Route : Ingestion Exposure time : 36 - 52 Days

Method : OECD Test Guideline 422

 Species
 : Rat

 NOAEL
 : 0.004 mg/l

 LOAEL
 : 0.01 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 90 Days

Method : OECD Test Guideline 413

C.I. Pigment Green 7:

Species : Rat

NOAEL : 4,600 mg/kg
Application Route : Ingestion
Exposure time : 91 Days

Formic acid:

Species : Rat

NOAEL : 400 mg/kg Application Route : Ingestion Exposure time : 52 Weeks

Remarks : Based on data from similar materials

N-Methyl-2-pyrrolidone:

Species : Rat, male
NOAEL : 169 mg/kg
LOAEL : 433 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

Species : Rat
NOAEL : 0.5 mg/l
LOAEL : 1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 96 Days

Method : OECD Test Guideline 413

Species : Rabbit

NOAEL : 826 mg/kg

LOAEL : 1,653 mg/kg

Application Route : Skin contact

Exposure time : 20 Days

Aspiration toxicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Experience with human exposure

Components:

N-Methyl-2-pyrrolidone:

Skin contact : Symptoms: Skin irritation

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 43.50 mg/l

Exposure time: 72 h

Components:

Fosetyl-aluminium:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 122 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 29.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

'

ErC50 (Selenastrum capricornutum (green algae)): 2.715 mg/l Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): >= 100 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 215

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 17 mg/l

Exposure time: 21 d

Ecotoxicology Assessment

Chronic aquatic toxicity : No toxicity at the limit of solubility.

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

200 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)):

12.5 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (activated sludge): 0.16 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

C.I. Pigment Green 7:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Formic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 130 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 365 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,240

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): 295

ng/I

Exposure time: 72 h

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version SDS Number: Date of last issue: 12/14/2023 Revision Date: 03/06/2024 11310877-00002 Date of first issue: 12/14/2023 1.1

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms NOEC: 72 mg/l

Exposure time: 13 d

N-Methyl-2-pyrrolidone:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l

Exposure time: 72 h

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 12.5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

EC50: > 600 mg/l Toxicity to microorganisms

> Exposure time: 30 min Method: ISO 8192

Persistence and degradability

Components:

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 0 % Exposure time: 29 d

Method: OECD Test Guideline 301B

C.I. Pigment Green 7:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Formic acid:

Biodegradability Result: Readily biodegradable.

Biodegradation: 100 %

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

Exposure time: 28 d

Method: OECD Test Guideline 301C

N-Methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 73 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Fosetyl-aluminium:

Partition coefficient: n-

octanol/water

log Pow: -2.11

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Partition coefficient: n-

octanol/water

: log Pow: -0.27

Formic acid:

Partition coefficient: n-

octanol/water

log Pow: -2.1

N-Methyl-2-pyrrolidone:

Partition coefficient: n-

: log Pow: -0.46

octanol/water

Method: OECD Test Guideline 107

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : It is best to use all of the product in accordance with label

directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local

guidelines.

Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.

Empty containers retain residue and can be dangerous.

Do not re-use empty containers.

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Formic acid 64-18-6 >= 1 - < 5 %

US State Regulations

Pennsylvania Right To Know

Fosetyl-aluminium 39148-24-8 2-Propanol, reaction products with naphthalene, sulfonated, 1322-93-6

sodium salts

Water 7732-18-5
Tristyrylphenol ethoxylates 99734-09-5
C.I. Pigment Green 7 1328-53-6
Non-hazardous Not Assigned
Formic acid 64-18-6

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

California Prop. 65

WARNING: This product can expose you to chemicals including Formaldehyde, which is/are known to the State of California to cause cancer, and

N-Methyl-2-pyrrolidone, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

 Fosetyl-aluminium
 39148-24-8

 C.I. Pigment Green 7
 1328-53-6

 Formic acid
 64-18-6

California Permissible Exposure Limits for Chemical Contaminants

Fosetyl-aluminium 39148-24-8 Formic acid 64-18-6


Active substance : 60 %

Fosetyl-aluminium

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

US WEEL / STEL : Short-Term TWA

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 03/06/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

according to the OSHA Hazard Communication Standard



Signature Xtra Stressgard

Version Revision Date: SDS Number: Date of last issue: 12/14/2023 1.1 03/06/2024 11310877-00002 Date of first issue: 12/14/2023

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8