

# Product information sheet




- **Active Ingredients:** Thien carbazon-methyl, iodosulfuron-methyl, dicamba
- **Formulation:** Water-dispersible granule
- **WSSA Group:** 2 and 4
- **Signal Word:** Caution

## Best uses

- Selective postemergence herbicide with two modes of action that provide broad-spectrum weed control
- Controls annual and perennial weeds in St. Augustinegrass, centipedegrass, bermudagrass, zoysiagrass and buffalograss

## Attributes of Celsius® WG herbicide

- Three active ingredients representing two different modes of action
- Effective in humid and arid climates
- Weed growth ceases within hours after application
- Weed control is more rapid when soil temperatures are above 65° F; symptoms progress from yellow to brown with control within one to four weeks



**Dollarweed**

## Key strengths

- Controls existing weeds in many warm-season turf species
- Control of dollarweed, doveweed, Virginia buttonweed and other broadleaf weeds
- Effective control of bull paspalum

# How to apply

- Celsius® WG herbicide may be used to control a variety of broadleaf and grassy weeds
- For some weeds, a second application made two to four weeks later may be needed for complete weed control

## Amount of product

Use Rate	Oz (per 1,000 sq ft)	Oz (per acre)
Low	0.057	2.5
Medium	0.085	3.7
High	0.113	4.9
Yearly max.	0.17	7.4

## Broadcast applications

- Broadcast applications should be made with calibrated spray equipment
- Celsius WG herbicide should be mixed with an appropriate amount of water to provide adequate coverage for the treatment area
- For maximum weed control with broadcast applications, add a nonionic surfactant (NIS) at the recommended rate to the spray solution
- For difficult-to-control weeds, add methylated seed oil (MSO) at a rate of 0.25%-0.5% v/v to the spray solution

## Spot treatments

- Use a spot treatment application to control small areas of labeled weeds
- For spot treatments, mix 0.057-0.113 oz (1.6-3.2 g) of Celsius WG herbicide per gallon in a sprayer and apply until weeds are wet
- For difficult-to-control weeds, such as Virginia buttonweed or dollarweed, make a second application when regrowth is observed



Dandelion



Dollarweed



Doveweed



Annual Lespedeza



[us.envu.com](http://us.envu.com)

**ALWAYS READ AND FOLLOW PESTICIDE LABEL INSTRUCTIONS.**

Environmental Science U.S. LLC, 5000 CentreGreen Way, Suite 400, Cary, NC 27513. For additional product information, call toll-free 1-800-331-2867. [www.envu.com](http://www.envu.com). Not all products are registered in all states. Celsius®, Envu and the Envu logo are trademarks owned by Environmental Science U.S. LLC or one of its affiliates. ©2023 Environmental Science U.S. LLC. ES-0423-CEL-154-P-R1