

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

SECTION 1. IDENTIFICATION

Product identifier

Product name Kalida™ Fungicide

Other means of identification

Product code 50002363

Recommended use of the chemical and restrictions on use

Recommended use Can be used as fungicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Supplier Address FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0 Revision Date: 06/24/2024 SDS Number: 50002363 Date of last issue: -
Date of first issue: 06/24/2024

Hazard pictograms

:



Signal Word

:

WARNING

Hazard Statements

:

H302 + H332 Harmful if swallowed or if inhaled.

Precautionary Statements

:

Prevention:

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fluindapyr	1383809-87-7	20.9
Flutriafol	76674-21-0	20.9
propane-1,2-diol	57-55-6	>= 5 - < 10
Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, potassium salt	68186-36-7	>= 1 - < 5
Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice

:

Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

- | | |
|---|---|
| If inhaled | : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Do not induce vomiting without medical advice.
Let the exposed person rinse mouth and let him/her drink several glasses of water, but do not induce vomiting. If vomiting does occur, let him/her rinse mouth and drink fluids again.
Get medical attention immediately. |
| Most important symptoms and effects, both acute and delayed | : Contains a triazole. Symptoms may include nausea, vomiting, diarrhea, visual changes, hallucinations, rash, itching, and alopecia.
Harmful if swallowed or if inhaled. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician | : Treat symptomatically.
Immediate medical attention is required in case of ingestion. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : High volume water jet
Do not spread spilled material with high-pressure water streams. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

- | | |
|--|--|
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Sulfur oxides
Nitrogen oxides (NOx)
Fluorine compounds
Hydrogen cyanide
Hydrogen fluoride
Fluorinated compounds |
| Specific extinguishing methods | : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers. |
| Further information | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene. |
| Environmental precautions | : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
For personal protection see section 8.
Avoid formation of respirable particles.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

- Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Form : suspension
- Color : light brown
- Odor : Faint odour
- Odor Threshold : No data available
- pH : 6.42 (71.8 °F / 22.1 °C)
(1% solution in water)
- Melting point/range : not determined
- Boiling point/boiling range : not determined
- Flash point : > 212 °F / > 100 °C
- Evaporation rate : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	9.5722 lb/gal (72.9 °F / 22.7 °C) 1.1470 g/cm3 (72.9 °F / 22.7 °C)
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	365.0 mPa.s (70.7 °F / 21.5 °C) 295.8 mPa.s (106.7 °F / 41.5 °C)
Viscosity, kinematic	:	365 mm2/s (70.7 °F / 21.5 °C) 295.8 mm2/s (106.7 °F / 41.5 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac-	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

tions

Conditions to avoid : Avoid extreme temperatures.
Avoid formation of aerosol.
Protect from frost, heat and sunlight.
Heating of the mixture may evolve harmful and irritant vapours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.12 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: hypoactivity, Breathing difficulties
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Components:

Fluindapyr:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes

LD50 (Rat, female): > 300 - 2,000 mg/kg
Method: OECD Test Guideline 423
Symptoms: ataxia, Breathing difficulties, Fatality
GLP: yes
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.19 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: ataxia, Breathing difficulties
GLP: yes
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.

Flutriafol:

Acute oral toxicity : LD50 (Rat, male): 1,140 mg/kg
LD50 (Rat, female): 1,480 mg/kg
LD50 (Rat, female): 300 - 2,000 mg/kg
Method: OECD Test Guideline 423
Target Organs: Liver, Gastrointestinal tract
Symptoms: Fatality
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
LC50 (Rat, male and female): > 2.13 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapor
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

toxicity

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, potassium salt:

Acute oral toxicity : Assessment: Toxic effects cannot be excluded

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification.

Components:

Fluindapyr:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
GLP	: yes

Assessment	: Not classified as irritant
Method	: OECD Test Guideline 439
GLP	: yes

Flutriafol:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

propane-1,2-diol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, potassium salt:

Result : Skin irritation

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Remarks : No data available

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Components:

Fluindapyr:

Species : Rat
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Result : not corrosive
Method : Bovine cornea (BCOP)
GLP : yes

Flutriafol:

Species : Rabbit
Result : Slight or no eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, potassium salt:

Result : Irreversible effects on the eye

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result : Eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Product:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Did not cause sensitization on laboratory animals.

Components:

Fluindapyr:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.
GLP	: yes

Flutriafol:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Not a skin sensitizer.

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Assessment	: Did not cause sensitization on laboratory animals.
Method	: OECD Test Guideline 406

propane-1,2-diol:

Test Type	: Maximization Test
Species	: Guinea pig
Result	: negative

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Fluindapyr:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro
	Test system: lymphocytes
	Metabolic activation: with and without metabolic activation
	Method: OECD Test Guideline 473
	Result: negative
	Test Type: gene mutation test
	Test system: mouse lymphoma cells
	Metabolic activation: with and without metabolic activation
	Method: OECD Test Guideline 490
	Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid exchange
Species: Mouse
Result: negative

Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Flutriafol:

Genotoxicity in vivo : Test Type: dominant lethal test
Method: OECD Test Guideline 478
Result: negative

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Fluindapyr:

Species : Mouse
Application Route : Oral
Exposure time : 18 month(s)
Method : OECD Test Guideline 451
Result : Not a carcinogenic hazard

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : Not a carcinogenic hazard

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

GLP : yes

Flutriafol:

Species : Mouse
Exposure time : 2 Years
NOAEL : 1.2 mg/kg bw/day
Result : negative

Species : Rat
Exposure time : 2 Years
NOAEL : 1 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Fluindapyr:

Effects on fertility : Test Type: Two-generation study
General Toxicity Parent: NOAEL: ca. 30
Method: OECD Test Guideline 416
GLP: yes
Remarks: Changes seen in the female reproductive tract resulted in no effects to reproduction or fertility.

Flutriafol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Method: OECD Test Guideline 414

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Result: negative

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

Fluindapyr:

Species : Rat
NOAEL : 1,000 mg/kg
Application Route : Dermal
Exposure time : 21 d
Number of exposures : 5 d/w for 6 hr
Dose : 0,100,300,1000 mg/kg bw/d
Method : OECD Test Guideline 410
GLP : yes
Symptoms : Skin irritation

Flutriafol:

Species : Rat
NOAEL : 13.3 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 d
Symptoms : anemia, Liver effects

Species : Dog
NOAEL : 5 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Symptoms : blood effects, Liver effects

propane-1,2-diol:

Species	: Rat, male and female
NOAEL	: 1,700 mg/kg
Application Route	: Oral
Exposure time	: 2 Years

Species	: Rat, male and female
NOAEL	: 1,000 mg/kg
LOAEL	: 160 mg/kg
Application Route	: Inhalation
Exposure time	: 90 Days

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

Flutriafol:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 0.91 mg/l
	Exposure time: 96 h
	Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.8 mg/l
	Exposure time: 48 h
	Method: OECD Test Guideline 202

	NOEC (Daphnia magna (Water flea)): 2.5 mg/l
	Exposure time: 48 h
	Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Toxicity to algae/aquatic plants : EyC50 (Raphidocelis subcapitata (freshwater green alga)): 9.6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 9.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 946 mg/kg
Exposure time: 14 d
End point: Acute oral toxicity
Method: OECD Test Guideline 223

LD50 (Apis mellifera (bees)): 240 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (Apis mellifera (bees)): 24 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
Remarks: Active ingredient

Components:

Fluindapyr:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.121 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Oryzias latipes (Japanese medaka)): > 1.8 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

LC50 (Danio rerio (zebra fish)): 0.424 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.43 mg/l
Exposure time: 96 h
Test Type: static test
Method: OPPTS 850.1075
GLP: yes

LC50 (Cyprinus carpio (Carp)): 0.11 mg/l
Exposure time: 96 h
Test Type: Static renewal test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.286 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Pimephales promelas (fathead minnow)): 0.19 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.141 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

LC50 (Americamysis bahia (mysid shrimp)): 0.33 mg/l
Exposure time: 96 h
Test Type: static test
Method: OCSP 850.1035
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 4.83 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

NOEC (Lemna gibba (duckweed)): 2 mg/l
Exposure time: 7 d
Method: OECD Test Guideline 221
GLP: yes

EC50 (Skeletonema costatum (Diatom)): > 2 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

		Method: OECD Test Guideline 201 GLP: yes
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.031 mg/l Exposure time: 32 d Test Type: Early-life Stage Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Americamysis bahia (mysid shrimp)): 0.062 mg/l Exposure time: 28 d Test Type: flow-through test Method: OPPTS 850.1350 GLP: yes
		NOEC (Daphnia magna (Water flea)): 0.12 mg/l Exposure time: 21 d Test substance: yes Method: OECD Test Guideline 211 GLP: yes Remarks: Information refers to the main ingredient.
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
		Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen mineralization.
		Method: OECD Test Guideline 217 Remarks: No significant adverse effect on Carbon mineralization.
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
		LD50 (Apis mellifera (bees)): > 300 µg/bee Exposure time: 48 h Method: OECD Test Guideline 214 GLP: yes Remarks: Contact
		LD50 (Apis mellifera (bees)): > 32.8 µg/bee Exposure time: 48 h Method: OECD Test Guideline 213 GLP: yes Remarks: Oral
Flutriafol:		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 33 mg/l Exposure time: 96 h
		LC50 (Danio rerio (zebra fish)): 22.97 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 67 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes EC50 (Daphnia magna (Water flea)): 42.21 mg/l End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: IC50 (Selenastrum capricornutum (green algae)): 12 mg/l Exposure time: 96 h IC50 (Scenedesmus subspicatus): 1.9 mg/l Exposure time: 72 h EbC50 (Lemna gibba (duckweed)): 0.65 mg/l Exposure time: 7 d EyC50 (Pseudokirchneriella subcapitata (algae)): 3.69 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes
Toxicity to fish (Chronic toxicity)	: NOEC (Lepomis macrochirus (Bluegill sunfish)): 4.8 mg/l Exposure time: 28 d NOEC (Danio rerio (zebra fish)): 20 mg/l Exposure time: 14 d Method: OECD Test Guideline 204 NOEC (Pimephales promelas (fathead minnow)): 0.1 mg/l End point: Growth Test Type: Early Life-Stage Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.31 mg/l Exposure time: 21 d NOEC (Daphnia magna (Water flea)): 0.45 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to soil dwelling organisms	: NOEC (Eisenia fetida (earthworms)): 0.01 mg/cm2 Exposure time: 180 d LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 144 µg/bee
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

LD50 (*Apis mellifera* (bees)): > 150 µg/bee
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

LD50 (*Apis mellifera* (bees)): > 100 µg/bee
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (*Apis mellifera* (bees)): 872.53 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Anas platyrhynchos* (Mallard duck)): > 5,000 mg/kg

LD50 (*Coturnix japonica* (Japanese quail)): ca. 385 mg/kg
Method: US EPA Test Guideline OPPTS 850.2100

LD50 (*Coturnix japonica* (Japanese quail)): 4260 ppm
Method: OPPTS 850.2200

propane-1,2-diol:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (*Mysidopsis bahia* (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 20,000 mg/l
Exposure time: 18 h

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, potassium salt:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

Fluindapyr:

Biodegradability : Result: Not readily biodegradable.

Flutriafol:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Does not readily hydrolyze

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, potassium salt:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
Remarks: Based on data from similar materials

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Fluindapyr:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: > 3

Flutriafol:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 7
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.29

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Mobility in soil

Product:

Distribution among environ- : Remarks: No data is available on the product itself.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

mental compartments

Components:

Fluindapyr:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Flutriafol:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

Components:

Flutriafol:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste han-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

ding site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Flutriafol)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Fluindapyr, Flutriafol)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluindapyr, Flutriafol)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version 1.0	Revision Date: 06/24/2024	SDS Number: 50002363	Date of last issue: - Date of first issue: 06/24/2024
----------------	------------------------------	-------------------------	--

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol	57-55-6	>= 5 - < 10 %
------------------	---------	---------------

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

sodium hydroxide	1310-73-2	>= 0 - < 0.1 %
------------------	-----------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

sodium hydroxide	1310-73-2	>= 0 - < 0.1 %
------------------	-----------	----------------

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

water	7732-18-5
Fluindapyr	1383809-87-7
Flutriafol	76674-21-0
propane-1,2-diol	57-55-6
Monobutyl ether of polymer of 2-methyloxirane / oxirane	9038-95-3

Maine Chemicals of High Concern

octamethylcyclotetrasiloxane [D4]	556-67-2
-----------------------------------	----------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

Vermont Chemicals of High Concern

octamethylcyclotetrasiloxane [D4]

556-67-2

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version
1.0

Revision Date:
06/24/2024


SDS Number:
50002363

Date of last issue: -
Date of first issue: 06/24/2024

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kalida™ Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/24/2024	50002363	Date of first issue: 06/24/2024

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet