

# Product Information Sheet

## Control broadleaf weeds fast with visible results in 24 to 48 hours

Terradex™ Quick Strike is a fast-acting postemergence herbicide for hard-to-control broadleaf weeds including oxalis, dandelion and clover.

## All Skills, No Frills

- Labeled for 90+ broadleaf weeds including dandelions, oxalis, plantains, Virginia buttonweed, white clover, thistles, wild garlic and onion, ground ivy and knotweed
- Works quickly with visible results in 24-48 hours and plant death occurring within 10-14 days
- Rainfast in 6 hours
- Cost-effective broadleaf weed control

## Product Information

- Active ingredients (% by weight)
  - 18.33% or 1.4 lb. ai/gal. 2,4-D (WSSA group 4)
  - 6.65% or 0.5 lb. ai/gal. MCPA (WSSA group 4)
  - 2.88% or 0.22 lb. ai/gal. dicamba (WSSA group 4)
  - 0.65% or 0.06 lb. ai/gal. sulfentrazone (WSSA group 14)
- Signal Word: Warning (contains 2,4-D and requires eye protection)
- Formulation: Liquid concentrate

## How to Apply

- Best applied from spring through fall at temperatures less than 90°F
- Broadcast apply at 4.0 pints/A on 30-day intervals on cool-season turf up to a maximum of 8 pints/A/yr.
- Broadcast apply at 3.25 pints/A on 30-day intervals to dormant warm-season turf to a maximum of 10 pints/A/yr.
- Can be applied in as little as 10 gals. H<sub>2</sub>O /A (0.25 gals. /1,000 sq. ft.) so can be used in ride-on sprayers
- Spot applications of 1.2 to 1.5 fl. oz./1,000 sq. ft. in 1 gal. H<sub>2</sub>O/1,000 in backpack sprayers for cool-season turf
- Spot applications of 1.0 to 1.2 fl. oz./1,000 sq. ft. in 1 gal. H<sub>2</sub>O/1,000 in backpack sprayers for dormant warm-season turf
- Newly established turf:
  - Treated areas can be reseeded three weeks after application
  - Wait to apply until after second mowing of new seeding
  - Wait to apply until after 3 to 4 weeks of sodding or sprigging