# **Safety Data Sheet**

OUPL
------

Preparation Date 21-Jan-2020 Revision date 23-Aug-2024 **Revision Number:** 4 1. Identification of the Substance/Preparation and of the Company/Undertaking Identification of the product Product Description Adept Other means of identification Internal SDS code 12A-0004 Registration number(s) 70506-531 Recommended use of the chemical and restrictions on use **Recommended use** Insect growth regulator. Uses advised against Activities contrary to label recommendation Non labeled activities Details of the Supplier of the Safety Data Sheet Supplier Address UPL NA Inc. PO Box 12219 Research Triangle Park, NC 27709-12219 Emergency telephone number **Company Phone Number** 1-800-438-6071 Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887 **Emergency telephone number** Medical: Rocky Mountain Poison and Drug Safety (866) 673-6671 (24hrs)

# 2. Hazards Identification

### **Classification**

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2B
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2

## Label elements

#### **EMERGENCY OVERVIEW**

# DANGER

Hazard Statements HARMFUL IF INHALED Causes eye irritation May cause cancer Causes damage to organs through prolonged or repeated exposure



# **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood Do not breathe dust/fume/gas/mist/vapors/spray Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Avoid release to the environment Wear protective gloves/protective clothing/eye protection/face protection

# Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician

# Precautionary Statements - Storage

Store locked up Store in a well-ventilated place

# Hazards Not Otherwise Classified (HNOC)

# OTHER INFORMATION

• May form combustible dust concentrations in air

Toxic to aquatic life

# 3. Composition/information on Ingredients

Chemical name	CAS No	Weight-%
DIflubenzuron	35367-38-5	25
Kaolinite, Hydrous Aluminum Silicate	1332-58-7	63
Quartz	14808-60-7	<1.2

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

# 4. First aid measures

# FIRST AID MEASURES

Eye contact	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Wash skin with soap and water. Seek medical attention if skin irritation, swelling or redness develops and persists. Remove and wash contaminated clothing before re-use.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
Ingestion	Call a physician or poison control center immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

# Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and MAY CAUSE ALLERGIC SKIN REACTION. Effects

### Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to physician

Treat symptomatically.

# 5. Fire-fighting measures

# Suitable extinguishing media

Carbon dioxide (CO2), Dry powder, Foam, Water fog. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. If using water or foam, prevent product and runoff from entering drains, sewers or surface water due to high toxicity to aquatic organisms.

Unsuitable extinguishing media Water spray.

### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Dusts or fumes may form explosive mixtures in air.

# Explosion data

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not breathe dust. Use personal protective equipment.	
Environmental Precautions		
Environmental precautions	Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with an absorbant such as clay, sand or soil. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.	
Methods and material for containm	ent and cleaning up	
Methods for Clean-Up	Sweep up and shovel into suitable containers for disposal.	
7. Handling and Storage		
	7. Handling and Storage	
Precautions for safe handling	7. Handling and Storage	
Precautions for safe handling Handling	7. Handling and Storage Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Avoid dust formation. Do not breathe dust. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.	
-	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Avoid dust formation. Do not breathe dust. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.	

## incompatible materials

Strong bases, Strong acids, Strong oxidizing agents.

# 8. Exposure Controls/Personal Protection

### **Exposure guidelines**

Chemical name	ACGIH TLV	OSHA PEL		
Kaolinite, Hydrous Aluminum Silicate	TWA: 2 mg/m <sup>3</sup> particulate	TWA: 15 mg/m <sup>3</sup> total dust		
	matter containing no	TWA: 5 mg/m <sup>3</sup> respirable fraction		
	asbestos and <1%	(vacated) TWA: 10 mg/m <sup>3</sup> total dust		
	crystalline silica, respirable	(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction		
	particulate matter			
Quartz	TWA: 0.025 mg/m <sup>3</sup>	TWA: 50 µg/m <sup>3</sup>		
	respirable particulate matter	Action Level: 25 µg/m <sup>3</sup>		
		(vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust		
		: (250)/(%SiO2 + 5) mppcf TWA respirable fraction		
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA respirable fraction		
Engineering controls	Investigate engineering teo	chniques to reduce exposures. Local mechanical exhaust		
	ventilation is preferred. Co	onsult ACGIH ventilation manual or NFPA Standard 91 for design		
	of exhaust systems. Provid	le appropriate exhaust ventilation at places where dust is formed.		
		ons and safety showers are close to the workstation location.		
	,	,		
Personal protective equipment				
Eye/Face Protection	Where there is potential for eye contact have eye flushing equipment available. Safety			
		f splashes are likely to occur, wear:. Face-shield.		
Skin protection				
-	Long sleeved clothing. Chemical resistant gloves. Chemical resistant footwear plus socks.			
Respiratory protection		is likely, use NIOSH approved respiratory protection equipment		
		and/or its components. Full facepiece equipment is		
	recommended and, if used, replaces need for face shield and/or chemical goggles. If			
	exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe			
	respirator use limitations specified by NIOSH or the manufacturer. For emergency and			
		re may be a potential for significant exposure, use an approved		
		self-contained breathing apparatus. Respiratory protection		
	programs must comply with 29 CFR 1910.134. In the case of dust or aerosol formation use			
	respirator with an approved			

# General hygiene considerations

Do not eat, drink or smoke when using this product. Wear suitable gloves and eye/face protection. Wear respiratory protection. Remove and wash contaminated clothing before re-use. Wash hands before breaks and immediately after handling the product.

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance Physical state Odor color	powder solid Slight aromatic white to Yellow brown	
<u>Property</u> pH Melting point/freezing point Boiling Point/Range Flash Point	<u>VALUES</u> 7.97 > 230 °F	Remarks/ Method None known None known None known None known
Evaporation Rate Flammability (solid, gas) Specific gravity Bulk density Water solubility		None known None known None known None known Dispersible

Solubility in Other Solvents No information available Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Viscosity

# 9.2 OTHER INFORMATION- NONE

**Liquid Density** 

18 lb/ cu ft

# **10. Stability and Reactivity**

None known None known

None known

None known

None known

Reactivity

no data available

# Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Hazardous polymerisation does not occur.

# Conditions to avoid

Extremes of temperature and direct sunlight.

### incompatible materials

Strong bases, Strong acids, Strong oxidizing agents.

# Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides.

# **11. Toxicological Information**

### Information on Likely Routes of Exposure

<i></i>		
Product information	Adept Acute oral LD50 (rat) = >6,700 mg/kg Acute dermal LD50 (rat) = >20,000 mg/kg Acute inhalation LC50 (rat) 4 hr = > 3.52 mg/L	
Inhalation	Harmful by inhalation. Inhalation of dust in high concentration may cause irritation of respiratory system.	
Eye contact	May cause slight irritation.	
Skin contact	Substance may cause slight skin irritation. Based on available data, the classification criteria are not met.	
Ingestion	Based on available data, the classification criteria are not met.	
Information on Toxicological Effects_		
Symptoms	No information available.	
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Sensitization Mutagenic effects Carcinogenicity	No information available. no data available. Quartz Chronic inhalation of crystalline silica may cause a progressive pnuemoconiosis(a disabling lung disease) called silicosis. Data from animal studies on crystalline forms of silica	

conform the capacity of free crystalline silica to induce a fibrinogenic response in lungs. Studies on a variety of laboratory animals (rats, guinea pigs, rabbits and monkeys) using inhalation as well as intratracheal routes of exposure indicate the ability of crystalline silica to produce silicosis to that seen in man. In addition, experiments in animals have confirmed human experience that the presence of crystalline silica in the lung increased susceptibility to tuberculosis and other lung infections. Crystalline silica inhaled in the form of quartz is classified as carcinogenic to humans (Group 1) by IARC and respirable forms of crystalline silica are listed as substances known to be human carcinogen by NTP. Epidemiology studies cited by IARC give indications of increased rixk for lung cancer from inhaled crystalline silica (Quartz) resulting from occupational exposure. Studies involving heavy industrial exposure to silica in granite and foundry workers, brick factories and sandblasting produced increased levels of protein and enzymes in urine, which is indicative of kidney damage.

	uumuyo.			
Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х
14808-60-7				
Reproductive effects	Not Available			
STOT - Single Exposure	no data availa	able.		
STOT - Repeated Exposure	no data availa	able.		
Aspiration hazard	No informatio	n available.		

# Numerical Measures of Toxicity - Product information

LD50 Oral	> 6,700 mg/kg
LD50 Dermal	> 20,000 mg/kg
LC50 Inhalation	LC50/inhalation/4h/rat = > 3.52 mg/l (4-hr)

# **12. Ecological Information**

#### ecotoxicity

Very toxic to aquatic life with long lasting effects Diflubenzuron FISH LC 50 (Cyprinodon sp) = > 0.13 mg/L 96 hr LC50 (Oncorhynchus mykiss) = > 0.2 mg/L 96 hr DAPHNIA EC 50 = 0.003 mg/L 48 hr AQUATIC ORGANISM EC50 = 0.00064 mg/L 96 hr

### Persistence/Degradability

no data available.

Bioaccumulation/ Accumulation Not available.

# Other Adverse Effects

no data available

# 13. Disposal Considerations

Waste Treatment Methods	
Waste Disposal Method	Pesticide wastes can be hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Contaminated packaging	Refer to product label.

14. Transport Information		
DOT	When shipped domestically by highway in non-bulk containers this product can be shipped as not regulated.	
	When shipped in bulk, by vessel, or internationally refer to the IMDG shipping description:	
<u>TDG</u>	When shipped in Canada domestic highway non-bulk this product can be shipped as Not regulated as per TDG 1.45.1 In bulk, by vessel or internationally - use IMDG description	
IATA UN/ID no Proper shipping name Hazard class Packing group Description	Single or inner packagings less than 5L (liquid) or 5kg net (solids) are excepted from the Dangerous Goods regulations (IATA Special provision A197) UN3077 Environmentally hazardous substances, solid, n.o.s (Diflubenzuron) 9 PG III Marine pollutant	
IMDG UN/ID no Proper shipping name Hazard class Packing group Environmental hazards	Single or inner packaging less than 5L (liquid) or 5 kg net (solids) are excepted from the Dangerous Goods regulations (IMDG 2.10.2.7) UN3077 Environmentally hazardous substances, solid n.o.s. (Diflubenzuron) 9 PG III Marine pollutant	

# 15. Regulatory Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

TION

Ventilation Control

THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

Causes moderate eye irritation. Toxic to aquatic invertebrates.

International Inventories	
USINV	Present
DSL/NDSL	Present
EINECS/	Not Present
ELINCS	
ENCS	Not Present
China	Present
KECL	Present
PICCS	Present
AICS	Not Present
TSCA	Present

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# **CERCLA**

Not applicable

# <u>CERCLA</u> <u>RCRA</u> Pesticide Information

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other Ingredients	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
Dlflubenzuron 35367-38-5 ( 25 )			X	
Kaolinite, Hydrous Aluminum Silicate 1332-58-7 ( 63 )			X	

### State Regulations

# State Right-to-Know

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dlflubenzuron - 35367-38-5	Х	Х			
Kaolinite, Hydrous Aluminum Silicate - 1332-58-7	Х	Х	Х		
Quartz - 14808-60-7	Х	Х	Х	Х	

#### International regulations U.S. EPA Label information

EPA Pesticide registration number 70506-531

16. Other Information					
NFPA	HEALTH 1	flammability 2	Instability 0	Physical hazard -	
Preparation Date	21-Ja	n-2020			
Revision date	23-Au	23-Aug-2024			
<b>Revision Summary</b>		-			
Update section 2 Upda	ate section 11				
Disclaimer					
UPL NA Inc. believes	that the information	and recommendations cor	ntained herein (including	g data and statements) are	
		ANTY OF FITNESS FOR AN			
MERCHANTABILITY,	OR ANY OTHER WAI	RRANTY, EXPRESSED OR	IMPLIED, IS MADE CO	NCERNING THE	
INFORMATION PROV	/IDED HEREIN. The in	formation provided hereir	relates only to the spe	cific product designated and	

INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPL NA Inc. and UPL NA Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information. End of SDS